

Reference Material Data Sheet

1R6F Ground Filler

Data Sheet Number: 2016-GF01CTRP

Reference values generated on: 05/12/2016

Reference values are valid until: 05/12/2017

Superseded data sheet code: N/A

Description of Material	Ground cigarette filler, unflavored
Lot/Batch Number	RT1
Matrix	Tobacco blend
Major starting materials	Flue-cured, Burley and Oriental tobacco types, reconstituted tobacco sheets, expanded flue-cured, expanded burley, glycerin, Isosweet (sugar), propylene glycol

Notes

- Reference values listed below reflect analysis results submitted by a single laboratory using a single method satisfying Clause 5.15 of ISO Guide 34:2009 and statistically evaluated using Approach A in Clause 10.5 of ISO Guide 35:2006.
- The "Reference Uncertainty" listed herein are expanded uncertainties obtained by multiplying the combined standard uncertainty by a constant coverage factor of 3, i.e. $k = 3$.
- The reference values listed herein are reflective of chemical analysis done on a "as is" basis, i.e. the samples were not dried prior to analysis.
- The reference values and uncertainties contained herein do not apply to, and are not related with, the certified values and certified uncertainties of the 1R6F certified reference cigarette as disclosed in certificate number 2016-001CTRP

1R6F Ground Filler Reference Values and Uncertainties

Reference Values and Uncertainties					
Parameter	Reference Value	Reference Uncertainty	Unit	Number of accepted data points	Constant Coverage factor
Nicotine	18912	534	µg/g	20	3.00
Nornicotine	644	62	µg/g	20	3.00
Anabasine	109	4	µg/g	20	3.00
Anatabine	806	38	µg/g	20	3.00
NNN	2.38	0.24	µg/g	20	3.00
NAT	1.79	0.19	µg/g	20	3.00
NAB	0.11	0.01	µg/g	20	3.00
NNK	0.58	0.05	µg/g	20	3.00
Moisture	12.2	0.2	%	20	3.00

INSTRUCTIONS FOR CORRECT USE:

The reference material should be stored in the original packaging or in airtight containers just large enough to contain the sample in a cool dry place (~4°C) upon receipt. If the reference material will not be used within 1~week, it is recommended that the reference material be stored at, or below, -20°C until needed. Allow the reference materials to thaw and equilibrate in the refrigerator (~4°C) for 24 hours and then at least 1 hour at ambient conditions prior to using.

HAZARD INFORMATION: N/A

HOMOGENEITY: Homogeneity of this material is reflected in the expanded uncertainties disclosed herein.

APPROVING PERSONNEL: This material is approved for distribution by **Huihua Ji** and **Socrates Jose P. Cañete** on behalf of CTRP.