

University of Kentucky Center for Tobacco Reference Products

1401 University Drive Lexington, KY 40546-0236 <u>www.ctrp.uky.edu</u> Telephone: (859) 257-2660 Fax: (859) 257-6012 Email: <u>ctrp@uky.edu</u>

Reference Material Data Sheet

Ground Dark Air-cured Tobacco

Data Sheet Number: 2016-GT06CTRP

Reference values generated on: 09/14/2016 Reference values are valid until: 09/14/2017 Superseded data sheet code: N/A

Description of Material	Ground raw tobacco
Lot/Batch Number	RTDAC
Matrix	Single-variety tobacco
Major starting materials	Dark air-cured tobacco

Notes

- 1. Reference values listed below reflect analysis results submitted by a single laboratory using a single method satisfying Clause 5.15 of ISO Guide 34:2009 and statistically evaluated using Approach A in Clause 10.5 of ISO Guide 35:2006.
- 2. The "Reference Uncertainty" listed herein are expanded uncertainties obtained by multiplying the combined standard uncertainty by a constant coverage factor of 3, i.e. *k* = 3.
- 3. The reference values listed herein are reflective of chemical analysis done on a "as is" basis, i.e. the samples were not dried prior to analysis.

RTDAC Reference Values and Uncertainties

Reference Values and Uncertainties							
Parameter	Reference Value	Reference Uncertainty	Unit	Number of accepted data points	Constant Coverage factor		
Nicotine	44.16	0.86	mg/g	22	3.00		
Nornicotine	760	18	μg/g	22	3.00		
Anabasine	180	5	μg/g	22	3.00		
Anatabine	1199	39	μg/g	22	3.00		
NNN	3.26	0.32	μg/g	22	3.00		
NAT	3.76	0.19	μg/g	22	3.00		
NAB	0.21	0.01	μg/g	22	3.00		
NNK	1.89	0.37	μg/g	22	3.00		
Moisture	12.5	0.3	%	22	3.00		

INSTRUCTIONS FOR CORRECT USE:

The reference material should be stored in the original packaging or in airtight containers just large enough to contain the sample in a cool dry place ($^{4}\circ$ C) upon receipt. If the reference material will not be used within 1[~]week, it is recommended that the reference material be stored at, or below, -20° C until needed. Allow the reference materials to thaw and equilibrate in the refrigerator ($^{4}\circ$ C) for 24 hours and then at least 1 hour at ambient conditions prior to using.

HAZARD INFORMATION: N/A

HOMOGENEITY: Homogeneity of this material is reflected in the expanded uncertainties disclosed herein.

APPROVING PERSONNEL: This material is approved for distribution by **Huihua Ji** and **Socrates Jose P. Cañete** on behalf of CTRP.