

**University of Kentucky Center for Tobacco Reference Products** 

1401 University Drive Lexington, KY 40546-0236 www.ctrp.uky.edu Telephone: (859) 257-2660 Fax: (859) 257-6012 Email: <u>ctrp@uky.edu</u>

## **Reference Material Data Sheet**

**Ground Flue-Cured Tobacco** 

## Data Sheet Number: 2016-GT03CTRP

Reference values generated on: 05/19/2016 Reference values are valid until: 05/19/2017 Superseded data sheet code: N/A

Description of Material	Ground raw tobacco
Lot/Batch Number	RT2
Matrix Major starting materials	Single-variety tobacco Flue-cured tobacco

Notes

- 1. Reference values listed below reflect analysis results submitted by a single laboratory using a single method satisfying Clause 5.15 of ISO Guide 34:2009 and statistically evaluated using Approach A in Clause 10.5 of ISO Guide 35:2006.
- 2. The "Reference Uncertainty" listed herein are expanded uncertainties obtained by multiplying the combined standard uncertainty by a constant coverage factor of 3, i.e. *k* = 3.
- 3. The reference values listed herein are reflective of chemical analysis done on a "as is" basis, i.e. the samples were not dried prior to analysis.

RT2 Reference	Values and	Uncertainties
---------------	------------	---------------

Reference Values and Uncertainties							
Parameter	Reference Value	Reference Uncertainty	Unit	Number of accepted data points	Constant Coverage factor		
Nicotine	25364	506	μg/g	24	3.00		
Nornicotine	639	37	μg/g	24	3.00		
Anabasine	190	5	μg/g	24	3.00		
Anatabine	1318	32	μg/g	24	3.00		
NNN	0.101	0.014	μg/g	24	3.00		
NAT	0.189	0.025	μg/g	24	3.00		
NAB	0.013	0.006	μg/g	24	3.00		
NNK	0.072	0.018	μg/g	24	3.00		
Moisture	12.5	0.1	%	24	3.00		

## INSTRUCTIONS FOR CORRECT USE:

The reference material should be stored in the original packaging or in airtight containers just large enough to contain the sample in a cool dry place ( $^{4}\circ$ C) upon receipt. If the reference material will not be used within 1 $^{week}$ , it is recommended that the reference material be stored at, or below,  $-20^{\circ}$ C until needed. Allow the reference materials to thaw and equilibrate in the refrigerator ( $^{4}\circ$ C) for 24 hours and then at least 1 hour at ambient conditions prior to using.

HAZARD INFORMATION: N/A

HOMOGENEITY: Homogeneity of this material is reflected in the expanded uncertainties disclosed herein.

APPROVING PERSONNEL: This material is approved for distribution by **Huihua Ji** and **Socrates Jose P. Cañete** on behalf of CTRP.