

## **University of Kentucky Center for Tobacco Reference Products**

1401 University Drive Lexington, KY 40546-0236 www.ctrp.uky.edu Telephone: (859) 257-2660 Fax: (859) 257-6012 Email: ctrp@uky.edu

# **Reference Material Data Sheet**

## **Ground Oriental Tobacco**

Data Sheet Number: 2016-GT04CTRP

Reference values generated on: 08/19/2016 Reference values are valid until: 08/19/2017

Superseded data sheet code: N/A

Description of Material Ground raw tobacco

Lot/Batch Number RT3

Matrix Single-variety tobacco
Major starting materials Oriental tobacco

#### **Notes**

- 1. Reference values listed below reflect analysis results submitted by a single laboratory using a single method satisfying Clause 5.15 of ISO Guide 34:2009 and statistically evaluated using Approach A in Clause 10.5 of ISO Guide 35:2006.
- 2. The "Reference Uncertainty" listed herein are expanded uncertainties obtained by multiplying the combined standard uncertainty by a constant coverage factor of 3, i.e. *k* = 3.
- 3. The reference values listed herein are reflective of chemical analysis done on a "as is" basis, i.e. the samples were not dried prior to analysis.

### **RT3** Reference Values and Uncertainties

Reference Values and Uncertainties					
Parameter	Reference Value	Reference Uncertainty	Unit	Number of accepted data points	Constant Coverage factor
Nicotine	5269	108	μg/g	18	3.00
Nornicotine	253	15	μg/g	18	3.00
Anabasine	<loq1< td=""><td>NA</td><td>μg/g</td><td>18</td><td>3.00</td></loq1<>	NA	μg/g	18	3.00
Anatabine	122	11	μg/g	18	3.00
NNN	49	6	ng/g	18	3.00
NAT	15	5	ng/g	18	3.00
NAB	<loq<sup>2</loq<sup>	NA	ng/g	18	3.00
NNK	<loq³< td=""><td>NA</td><td>ng/g</td><td>18</td><td>3.00</td></loq³<>	NA	ng/g	18	3.00
Moisture	12.3	0.2	%	18	3.00

<sup>&</sup>lt;sup>1</sup> Method LOQ (Anabasine) = 40 μg/g;

#### INSTRUCTIONS FOR CORRECT USE:

The reference material should be stored in the original packaging or in airtight containers just large enough to contain the sample in a cool dry place ( $^4$ °C) upon receipt. If the reference material will not be used within 1 $^\infty$ week, it is recommended that the reference material be stored at, or below, -20°C until needed. Allow the reference materials to thaw and equilibrate in the refrigerator ( $^4$ °C) for 24 hours and then at least 1 hour at ambient conditions prior to using.

HAZARD INFORMATION: N/A

HOMOGENEITY: Homogeneity of this material is reflected in the expanded uncertainties disclosed herein.

APPROVING PERSONNEL: This material is approved for distribution by Huihua Ji and Socrates Jose P. Cañete on behalf of CTRP.

<sup>&</sup>lt;sup>2</sup> Method LOQ (NAB) = 10 ng/g;

<sup>&</sup>lt;sup>3</sup> Method LOQ (NNK) = 15 ng/g