

University of Kentucky

Center for Tobacco Reference Products

1401 University Drive Lexington, KY 40546-0236 www.ctrp.uky.edu

Telephone: (859) 257-2660 Fax: (859) 257-6012 Email: ctrp@uky.edu

Reference Material Data Sheet

RTDAC Ground Dark Air-cured Tobacco

Data Sheet Number: 2018-GT06CTRP Reference values generated on: 03/05/2018 Reference values are valid until: 03/05/2019 Superseded data sheet code: 2016-GT06CTRP

Description of Material Ground raw tobacco

RTDAC Ground Dark Air-cured Tobacco Lot/Batch Number

Single-variety tobacco Matrix Dark air-cured tobacco Major starting materials

Notes

- Reference values listed below reflect analysis results submitted by a single laboratory using a single method satisfying Clause 5.15 of ISO Guide 34:2009 and statistically evaluated using Approach A in Clause 10.5 of ISO Guide 35:2006.
- The "Reference Uncertainty" listed herein are expanded uncertainties obtained by multiplying the combined standard uncertainty by a constant coverage factor of 3, i.e. k = 3.
- The reference values listed herein are reflective of chemical analysis done on an "as is" basis, i.e. the samples were not dried prior to analysis.

RTDAC Ground Dark Air-cured Tobacco Reference Values and Uncertainties

Reference Values and Uncertainties					
Parameter	Reference Value	Reference Uncertainty	Unit	Number of accepted data points	Constant Coverage factor
Nicotine	44223	1083	μg/g	24	3
Nornicotine	764	44	μg/g	24	3
Anabasine	181	9	μg/g	24	3
Anatabine	1202	44	μg/g	24	3
NNN	3.29	0.30	μg/g	24	3
NAT	3.78	0.25	μg/g	24	3
NAB	0.21	0.01	μg/g	24	3
NNK	1.88	0.35	μg/g	24	3
Moisture	12.5	0.3	%	24	3

INSTRUCTIONS FOR CORRECT USE:

The reference material should be stored in the original packaging or in airtight containers just large enough to contain the sample in a cool dry place (~4°C) upon receipt. If the reference material will not be used within ~1 week, it is recommended that the reference material be stored at, or below, -20°C until needed. Allow the reference materials to thaw and equilibrate in the refrigerator (~4°C) for 24 hours and then at least 1 hour at ambient conditions prior to using.

HAZARD INFORMATION: N/A

HOMOGENEITY: Homogeneity of this material is reflected in the expanded uncertainties disclosed herein.

APPROVING PERSONNEL: This material is approved by Huihua Ji, Socrates Jose P. Cañete and Orlando D. Chambers on behalf of CTRP.